



# TRITON

OUR SECTORS

## Military

We supply the Military and Government bodies with equipment and leasing services.



## OUR SECTORS – MILITARY

# Equipment whenever and wherever you need it

We provide intermodal equipment leasing services for peacetime, contingency, disaster, and humanitarian aid operations.

### Large volumes of stock available globally

Backed by our best-in-class operational infrastructure, we hold a sizeable inventory to fulfill our larger customers' more extensive equipment needs and meet their immediate supply demands.

Regardless of the amount of equipment required, we offer units for sale in various conditions. Alternatively, we can also provide highly tailored short-term and long-term leasing structures for equipment.

### Equipment that is built to last

Our fleet flexibility combined with our high-level production quality control and global supply allows us to provide reliable and highly durable Dry Containers, Refrigerated Containers, and Flush Folding Flatracks.

**PLEASE NOTE:** The following pages showcase a small sample of products in the Triton global inventory. We stock a wide range of products for lease and sale in various conditions. Get in touch with your local Triton representative for more information.



# 20ft Dry Container



## CLASSIFICATION

### Lease

Available via Triton's global network of supply locations.




## FEATURES

- Manufactured with rust resistant corten steel
- Secure and weatherproof, with vents to allow airflow
- Resistant to damage and corrosion
- Superior paint systems
- Triton's industry leading new production testing and inspection criteria ensures the highest quality container
- Incredibly versatile
- Backed up by Triton's global network of supply locations and dedicated leasing and support teams
- Available globally
- IICL-6 repair criteria saves cost at off-hire
- Damage Protection Plan available to reduce costs and time at off-hire
- Flexible lease terms to meet your company needs




CONTAINER ROOF



CONTAINER FRONT



CONTAINER SIDE



CONTAINER REAR

## DIMENSIONS (METRIC/IMPERIAL)

### EXTERNAL DIMENSIONS

<b>Length</b>	6,058 mm	19' 10.5"
<b>Width</b>	2,438 mm	8' 0.0"
<b>Height</b>	2,591 mm	8' 6.0"

### INTERNAL DIMENSIONS

<b>Length</b>	5,898 mm	19' 4.2"
<b>Width</b>	2,352 mm	7' 8.6"
<b>Height</b>	2,393 mm	7' 10.2"

### DOOR OPENING

<b>Width</b>	2,340 mm	7' 8.1"
<b>Height</b>	2,280 mm	7' 5.8"

### CAPACITY & WEIGHTS

<b>Inside Cubic Capacity</b>	33.2 m <sup>3</sup>	1172 ft <sup>3</sup>
<b>Max Gross</b>	30,480 kg	67,200 lbs
<b>Payload</b>	28,380 kg	62,570 lbs
<b>Tare</b>	2,100 kg	4,630 lbs

**NOTE:** The dimensions and door openings of all containers correspond to ISO standards. However, due to production tolerances, a difference in measurement is possible.

**DISCLAIMER:** Every effort is made to ensure this information is accurate, however Triton does not assume any liability for the accuracy of the information and content provided in marketing or information materials, or for the consequences resulting from using the information and content provided. Triton does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the United States and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton® and TAL®.



#### CLASSIFICATION

#### For Sale: Used



Available via Triton's global network of supply locations.

# 20ft Used Dry Container



#### FEATURES

- Available in a range of conditions to suit all needs, from cargo transportation to secure domestic storage
- Generally 11-15 years old when retired from service
- Constructed from rugged corten steel
- Durable and secure, with vents to allow airflow
- Resistant to damage and corrosion
- A variety of options available
- Incredibly versatile and suitable for customers to modify into a wide range of applications
- Available globally
- Backed up by Triton's global network of supply locations and dedicated sales and support teams
- Also available for Direct Delivery to buyer's facilities, providing significant cost savings on transport



CONTAINER ROOF



CONTAINER FRONT

CONTAINER SIDE

CONTAINER REAR

## DIMENSIONS (METRIC/IMPERIAL)

### EXTERNAL DIMENSIONS

<b>Length</b>	6,058 mm	19' 10.5"
<b>Width</b>	2,438 mm	8' 0.0"
<b>Height</b>	2,591 mm	8' 6.0"

### INTERNAL DIMENSIONS

<b>Length</b>	5,898 mm	19' 4.2"
<b>Width</b>	2,352 mm	7' 8.6"
<b>Height</b>	2,393 mm	7' 10.2"

### DOOR OPENING

<b>Width</b>	2,340 mm	7' 8.1"
<b>Height</b>	2,280 mm	7' 5.8"

### CAPACITY & WEIGHTS

<b>Inside Cubic Capacity</b>	33.2 m <sup>3</sup>	1172 ft <sup>3</sup>
<b>Max Gross</b>	30,480 kg	67,200 lbs
<b>Payload</b>	28,090–28,580 kg	61,931–63,011 lbs
<b>Tare</b>	1,900–2,390 kg	4,189–5,269 lbs

**NOTE:** The dimensions and door openings of all containers correspond to ISO standards. However, due to production tolerances, a difference in measurement is possible.

**DISCLAIMER:** Every effort is made to ensure this information is accurate, however Triton does not assume any liability for the accuracy of the information and content provided in marketing or information materials, or for the consequences resulting from using the information and content provided. Triton does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the United States and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton® and TAL®.



# 20ft High Cube Dry Container



## CLASSIFICATION


### For Sale: New

Available via Triton's global network of supply locations.



## FEATURES


- Additional height provides extra internal cubic capacity, which means greater interior stacking capacity for your goods
- Incredibly versatile and suitable for customers to modify into a wide range of applications
- Manufactured with rust resistant corten steel
- Secure and weatherproof, with vents to allow airflow
- Resistant to damage and corrosion
- Advance orders in your preferred color (minimum volume required)
- Superior paint systems
- Great options including 80 micron floor coating, lock boxes, waist high door locking handles
- Triton's industry leading new production testing and inspection criteria ensures the highest quality container
- Moved from factory to most major ports in the world
- Backed up by Triton's global network of supply locations and dedicated sales and support teams
- Available globally



CONTAINER ROOF



CONTAINER FRONT



CONTAINER SIDE



CONTAINER REAR

## DIMENSIONS (METRIC/IMPERIAL)

### EXTERNAL DIMENSIONS

<b>Length</b>	6,058 mm	19' 10.5"
<b>Width</b>	2,438 mm	8' 0.0"
<b>Height</b>	2,896 mm	9' 6.0"

### INTERNAL DIMENSIONS

<b>Length</b>	5,898 mm	19' 4.2"
<b>Width</b>	2,352 mm	7' 8.6"
<b>Height</b>	2,689 mm	8' 10.2"

### DOOR OPENING

<b>Width</b>	2,343 mm	7' 8.2"
<b>Height</b>	2,585 mm	8' 5.8"

### CAPACITY & WEIGHTS

<b>Inside Cubic Capacity</b>	32.9 m <sup>3</sup>	1,162 ft <sup>3</sup>
<b>Max Gross</b>	30,480 kg	67,200 lbs
<b>Payload</b>	28,340 kg	62,480 lbs
<b>Tare</b>	2,140 kg	4,720 lbs

**NOTE:** The dimensions and door openings of all containers correspond to ISO standards. However, due to production tolerances, a difference in measurement is possible.

**DISCLAIMER:** Every effort is made to ensure this information is accurate, however Triton does not assume any liability for the accuracy of the information and content provided in marketing or information materials, or for the consequences resulting from using the information and content provided. Triton does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the United States and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton® and TAL®.





## CLASSIFICATION

### Lease


Available via Triton's global network of supply locations.

# 40ft Flush Folding Flatracks



## FEATURES

- Built to carry heavy or oversized cargoes
- Great for specialized shipments of steel, pipes, drums and machinery
- Forklift pockets for easy empty handling
- Heavy duty steel frames and thick plank floors and lashing rings all around
- With flush folding end frames to allow for efficient stacking and repositioning
- Triton's industry leading new production testing and inspection criteria ensures the highest quality container
- Available in the high demand hub ports
- Backed up by Triton's global network of supply locations and dedicated leasing and support teams
- Flexible lease terms to meet your company needs



## DIMENSIONS (METRIC/IMPERIAL)

### EXTERNAL DIMENSIONS

<b>Length</b> (Base bottom casting)	12,192 mm	40' 0.0"
<b>Width</b> (Base bottom casting)	2,438 mm	8' 0.0"
<b>Height</b> (End frame up)	2,591 mm	8' 6.0"
<b>Height</b> (End frame down)	648 mm	2' 1.5"

### INTERNAL DIMENSIONS

<b>Length</b> (Between end panels)	12,182 mm	39' 11.6"
<b>Width</b> (Over bottom side rail)	2,374 mm	7' 9.5"
<b>Height</b> (Side rail to top castings)	1,959 mm	6' 5.1"

### CAPACITY & WEIGHTS

<b>Max Gross</b>	52,500 kg	115,740 lbs
<b>Payload</b>	47,370 kg	104,430 lbs
<b>Tare</b>	5,130 kg	11,310 lbs

**NOTE:** The dimensions of containers correspond to ISO standards.

However, due to production tolerances, a difference in measurement is possible.

**DISCLAIMER:** Every effort is made to ensure this information is accurate, however Triton does not assume any liability for the accuracy of the information and content provided in marketing or information materials, or for the consequences resulting from using the information and content provided. Triton does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the United States and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton® and TAL®.



## CLASSIFICATION

### Lease


Available via Triton's global network of supply locations.

# 20ft Refrigerated Container




## FEATURES

- Designed for safe transportation of temperature sensitive cargo and frozen & perishable goods. (Food-grade approved)
- Ideal for on-site temperature controlled storage
- Strong, robust, insulated and repair friendly
- State-of-the art design and low power consumption makes units highly efficient
- Standard features: HGSS roof end panels, T-bar flooring and interior aluminum scuff lining
- Triton's industry leading new production testing and inspection criteria ensures the highest quality container
- Can be ordered with Carrier, Starcool, Daikin or Thermo King machinery, with 3 Phase Power. These leading brands offer worldwide availability for parts and service
- Provisioned for track & trace feature
- Resistant to bacteria
- Low heat leakage values
- Low GWP refrigerants compatible
- Backed up by Triton's global network of supply locations and dedicated leasing and support teams
- Available globally



REEFER ROOF



REEFER FRONT

REEFER SIDE

REEFER REAR

## DIMENSIONS (METRIC/IMPERIAL)

### EXTERNAL DIMENSIONS

<b>Length</b>	6,058 mm	19' 10.5"
<b>Width</b>	2,438 mm	8' 0.0"
<b>Height</b>	2,591 mm	8' 6.0"

### INTERNAL DIMENSIONS

<b>Length</b>	5,454 mm	17' 10.7"
<b>Width</b>	2,290 mm	7' 6.2"
<b>Height</b>	2,276 mm	7' 5.6"

### DOOR OPENING

<b>Width</b>	2,294 mm	7' 6.3"
<b>Height</b>	2,264 mm	7' 5.1"

### CAPACITY & WEIGHTS

<b>Inside Cubic Capacity</b>	28.4 m <sup>3</sup>	1003 ft <sup>3</sup>
<b>Max Gross</b>	30,480 kg	67,200 lbs
<b>Payload</b>	27,650 kg	60,960 lbs
<b>Tare*</b>	2,830 kg	6,240 lbs

\*Tare can vary slightly based on reefer machine type.

**NOTE:** The dimensions and door openings of all containers correspond to ISO standards. However, due to production tolerances, a difference in measurement is possible.

**DISCLAIMER:** Every effort is made to ensure this information is accurate, however Triton does not assume any liability for the accuracy of the information and content provided in marketing or information materials, or for the consequences resulting from using the information and content provided. Triton does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the United States and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton® and TAL®.

HERE. THERE. EVERYWHERE

# We supply the world

Triton is the largest lessor of intermodal containers in the world with over 7 million TEU of containers. Our services are available in 89 countries around the globe. So, no matter where you need containers, we'll have them nearby. To find your nearest Triton Container Sales manager visit [www.tritoncontainer.com](http://www.tritoncontainer.com).



**Global inventory of  
cargoworthy containers  
for lease and sale.**



**Unrivalled container  
supply at competitive  
prices.**



**Outstanding and  
highly responsive  
customer services.**



**Global network of 20 offices  
and 3 independent agencies  
across 16 countries.**



**Equipment  
built to the  
highest quality.**



**Our size, strength and reliability  
make us the go-to supplier of  
intermodal shipping containers.**



**TRITON**

We're the biggest for a reason, contact our friendly experts and experience Triton's world-leading service and cost savings today. Imagine what we can do together.

[www.tritoncontainer.com](http://www.tritoncontainer.com)