



# TRITON

OUR SECTORS

## Container dealers

Container dealers worldwide depend on us for quality containers, ready and available when they need them.



## OUR SECTORS – CONTAINER DEALERS

# The one-stop-shop for container sales

At Triton, we have been selling new and used cargo containers worldwide longer than any other dedicated reseller in the world. Our scale and global footprint helps us to have inventory ready to meet our customers' supply requirements.

### Reputation for reliability

Triton Containers are built-to-last and supported by our extensive production quality control efforts. Consequently, Triton 20ft, 40ft Dry Containers, 40' High-Cube Containers, and Refrigerated Containers are often our dealer partners' products of choice. Designed to withstand the most extreme conditions, they are manufactured from corten steel and are incredibly versatile.

### Fast delivery services

Container dealers rely on us to supply high-quality equipment when and where they need it. We operate in 89 countries and can provide new and used containers in our customers' required locations. Through our shipping line customers, we are often able to deliver containers direct to our customer's nominated facility, including supplying new Cargo Containers on a one-way basis from Asia.

### Our environmental commitment

Our dedicated team works tirelessly with manufacturers to continuously assess and, when possible, execute environmentally-friendly modifications to the designs of our containers and their build processes. We have also helped develop the market for used containers to avoid scrapping. Please contact your local Triton Sales manager for more information.

**PLEASE NOTE:** The following pages showcase a small sample of products in the Triton global inventory. We stock a wide range of products for lease and sale in various conditions. Get in touch with your local Triton representative for more information.



## CLASSIFICATION

### For Sale: New


Available via Triton's global network of supply locations.

# 20ft Dry Container



## FEATURES

- Manufactured with rust resistant corten steel
- Secure and weatherproof, with vents to allow airflow
- Resistant to damage and corrosion
- Superior paint systems
- Great options including 80 micron floor coating, lock boxes, waist-high door locking handles
- Incredibly versatile and suitable for customers to modify into a wide range of applications
- Advance orders in your preferred color (minimum volume required)
- Triton's industry leading new production testing and inspection criteria ensures the highest quality container
- Moved from factory to most major ports in the world
- Backed up by Triton's global network of supply locations and dedicated sales and support teams
- Available globally



CONTAINER ROOF



CONTAINER FRONT

CONTAINER SIDE

CONTAINER REAR

## DIMENSIONS (METRIC/IMPERIAL)

### EXTERNAL DIMENSIONS

|               |          |           |
|---------------|----------|-----------|
| <b>Length</b> | 6,058 mm | 19' 10.5" |
| <b>Width</b>  | 2,438 mm | 8' 0.0"   |
| <b>Height</b> | 2,591 mm | 8' 6.0"   |

### INTERNAL DIMENSIONS

|               |          |          |
|---------------|----------|----------|
| <b>Length</b> | 5,898 mm | 19' 4.2" |
| <b>Width</b>  | 2,352 mm | 7' 8.6"  |
| <b>Height</b> | 2,393 mm | 7' 10.2" |

### DOOR OPENING

|               |          |         |
|---------------|----------|---------|
| <b>Width</b>  | 2,343 mm | 7' 8.2" |
| <b>Height</b> | 2,280 mm | 7' 5.8" |

### CAPACITY & WEIGHTS

|                              |                   |                        |
|------------------------------|-------------------|------------------------|
| <b>Inside Cubic Capacity</b> | 33 m <sup>3</sup> | 1165.4 ft <sup>3</sup> |
| <b>Max Gross</b>             | 30,480 kg         | 67,200 lbs             |
| <b>Payload</b>               | 28,450 kg         | 62,721 lbs             |
| <b>Tare</b>                  | 2,030 kg          | 4475 lbs               |

**NOTE:** The dimensions and door openings of all containers correspond to ISO standards. However, due to production tolerances, a difference in measurement is possible.

**DISCLAIMER:** Every effort is made to ensure this information is accurate, however Triton does not assume any liability for the accuracy of the information and content provided in marketing or information materials, or for the consequences resulting from using the information and content provided. Triton does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the United States and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton® and TAL®.



# 20ft Used Dry Container



## CLASSIFICATION



### For Sale: Used

Available via Triton's global network of supply locations.



## FEATURES

- Available in a range of conditions to suit all needs, from cargo transportation to secure domestic storage
- Generally 11-15 years old when retired from service
- Constructed from rugged corten steel
- Durable and secure, with vents to allow airflow
- Resistant to damage and corrosion
- A variety of options available
- Incredibly versatile and suitable for customers to modify into a wide range of applications
- Available globally
- Backed up by Triton's global network of supply locations and dedicated sales and support teams
- Also available for Direct Delivery to buyer's facilities, providing significant cost savings on transport



CONTAINER ROOF



CONTAINER FRONT

CONTAINER SIDE

CONTAINER REAR

## DIMENSIONS (METRIC/IMPERIAL)

### EXTERNAL DIMENSIONS

|               |          |           |
|---------------|----------|-----------|
| <b>Length</b> | 6,058 mm | 19' 10.5" |
| <b>Width</b>  | 2,438 mm | 8' 0.0"   |
| <b>Height</b> | 2,591 mm | 8' 6.0"   |

### INTERNAL DIMENSIONS

|               |          |          |
|---------------|----------|----------|
| <b>Length</b> | 5,898 mm | 19' 4.2" |
| <b>Width</b>  | 2,352 mm | 7' 8.6"  |
| <b>Height</b> | 2,393 mm | 7' 10.2" |

### DOOR OPENING

|               |          |         |
|---------------|----------|---------|
| <b>Width</b>  | 2,340 mm | 7' 8.1" |
| <b>Height</b> | 2,280 mm | 7' 5.8" |

### CAPACITY & WEIGHTS

|                              |                     |                      |
|------------------------------|---------------------|----------------------|
| <b>Inside Cubic Capacity</b> | 33.2 m <sup>3</sup> | 1172 ft <sup>3</sup> |
| <b>Max Gross</b>             | 30,480 kg           | 67,200 lbs           |
| <b>Payload</b>               | 28,090–28,580 kg    | 61,931–63,011 lbs    |
| <b>Tare</b>                  | 1,900–2,390 kg      | 4,189–5,269 lbs      |

**NOTE:** The dimensions and door openings of all containers correspond to ISO standards. However, due to production tolerances, a difference in measurement is possible.

**DISCLAIMER:** Every effort is made to ensure this information is accurate, however Triton does not assume any liability for the accuracy of the information and content provided in marketing or information materials, or for the consequences resulting from using the information and content provided. Triton does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the United States and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton® and TAL®.



## CLASSIFICATION

### For Sale: New


Available via Triton's global network of supply locations.

# 40ft Dry Container




## FEATURES

- Manufactured with rust resistant corten steel
- Secure and weatherproof, with vents to allow airflow
- Resistant to damage and corrosion
- Superior paint systems
- Advance orders in your preferred color (minimum volume required)
- Great options including 80 micron floor coating, lock boxes, waist high door locking handles
- Triton's industry leading new production testing and inspection criteria ensures the highest quality container
- Incredibly versatile and suitable for customers to modify into a wide range of applications
- Moved from factory to most major ports in the world
- Backed up by Triton's global network of supply locations and dedicated sales and support teams
- Available globally



CONTAINER ROOF



CONTAINER FRONT

CONTAINER SIDE

CONTAINER REAR

## DIMENSIONS (METRIC/IMPERIAL)

### EXTERNAL DIMENSIONS

|               |           |          |
|---------------|-----------|----------|
| <b>Length</b> | 12,192 mm | 40' 0.0" |
| <b>Width</b>  | 2,438 mm  | 8' 0.0"  |
| <b>Height</b> | 2,591 mm  | 8' 6.0"  |

### INTERNAL DIMENSIONS

|               |           |          |
|---------------|-----------|----------|
| <b>Length</b> | 12,032 mm | 39' 5.7" |
| <b>Width</b>  | 2,352 mm  | 7' 8.6"  |
| <b>Height</b> | 2,393 mm  | 7' 10.2" |

### DOOR OPENING

|               |          |         |
|---------------|----------|---------|
| <b>Width</b>  | 2,343 mm | 7' 8.2" |
| <b>Height</b> | 2,280 mm | 7' 5.8" |

### CAPACITY & WEIGHTS

|                              |                     |                      |
|------------------------------|---------------------|----------------------|
| <b>Inside Cubic Capacity</b> | 67.8 m <sup>3</sup> | 2394 ft <sup>3</sup> |
| <b>Max Gross</b>             | 30,480 kg           | 67,200 lbs           |
| <b>Payload</b>               | 27,100 kg           | 59,750 lbs           |
| <b>Tare</b>                  | 3,380 kg            | 7,450 lbs            |

**NOTE:** The dimensions and door openings of all containers correspond to ISO standards. However, due to production tolerances, a difference in measurement is possible.

**DISCLAIMER:** Every effort is made to ensure this information is accurate, however Triton does not assume any liability for the accuracy of the information and content provided in marketing or information materials, or for the consequences resulting from using the information and content provided. Triton does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the United States and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton® and TAL®.





#### CLASSIFICATION

#### For Sale: Used


Available via Triton's global network of supply locations.

# 40ft Used Dry Container



#### FEATURES

- Available in a range of conditions to suit all needs, from cargo transportation to secure domestic storage
- Generally 11-15 years old when retired from service
- Constructed from rugged corten steel
- Durable and secure, with vents to allow airflow
- Resistant to damage and corrosion
- A variety of options available
- Incredibly versatile and suitable for customers to modify into a wide range of applications
- Available globally
- Backed up by Triton's global network of supply locations and dedicated sales and support teams
- Also available for direct delivery to buyer's facilities, providing significant cost savings on transport



CONTAINER ROOF



CONTAINER FRONT

CONTAINER SIDE

CONTAINER REAR

## DIMENSIONS (METRIC/IMPERIAL)

### EXTERNAL DIMENSIONS

|               |           |          |
|---------------|-----------|----------|
| <b>Length</b> | 12,192 mm | 40' 0.0" |
| <b>Width</b>  | 2,438 mm  | 8' 0.0"  |
| <b>Height</b> | 2,591 mm  | 8' 6.0"  |

### INTERNAL DIMENSIONS

|               |           |          |
|---------------|-----------|----------|
| <b>Length</b> | 12,032 mm | 39' 5.7" |
| <b>Width</b>  | 2,352 mm  | 7' 8.6"  |
| <b>Height</b> | 2,393 mm  | 7' 10.2" |

### DOOR OPENING

|               |          |         |
|---------------|----------|---------|
| <b>Width</b>  | 2,340 mm | 7' 8.1" |
| <b>Height</b> | 2,280 mm | 7' 5.8" |

### CAPACITY & WEIGHTS

|                              |                     |                      |
|------------------------------|---------------------|----------------------|
| <b>Inside Cubic Capacity</b> | 67.7 m <sup>3</sup> | 2390 ft <sup>3</sup> |
| <b>Max Gross</b>             | 30,480–32,500 kg    | 67,200–71,650 lbs    |
| <b>Payload</b>               | 26,980–29,070 kg    | 59,484–64,090 lbs    |
| <b>Tare</b>                  | 3,430–3,920 kg      | 7,560–8,640 lbs      |

**NOTE:** The dimensions and door openings of all containers correspond to ISO standards. However, due to production tolerances, a difference in measurement is possible.

**DISCLAIMER:** Every effort is made to ensure this information is accurate, however Triton does not assume any liability for the accuracy of the information and content provided in marketing or information materials, or for the consequences resulting from using the information and content provided. Triton does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the United States and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton® and TAL®.



## CLASSIFICATION

### For Sale: New


Available via Triton's global network of supply locations.

# 40ft High Cube Dry Container



## FEATURES

- Additional height provides extra internal cubic capacity, which means greater interior stacking capacity for your goods
- Manufactured with rust resistant corten steel
- Secure and weatherproof, with vents to allow airflow
- Resistant to damage and corrosion
- Great options including 80 micron floor coating, lock boxes, waist high door locking handles
- Advance orders in your preferred color (minimum volume required)
- Superior paint systems
- Triton's industry leading new production testing and inspection criteria ensures the highest quality container
- Moved from factory to most major ports in the world
- Incredibly versatile and suitable for customers to modify into a wide range of applications
- Backed up by Triton's global network of supply locations and dedicated sales and support teams
- Available globally



CONTAINER ROOF



CONTAINER FRONT

CONTAINER SIDE

CONTAINER REAR

## DIMENSIONS (METRIC/IMPERIAL)

### EXTERNAL DIMENSIONS

|               |           |          |
|---------------|-----------|----------|
| <b>Length</b> | 12,192 mm | 40' 0.0" |
| <b>Width</b>  | 2,438 mm  | 8' 0.0"  |
| <b>Height</b> | 2,896 mm  | 9' 6.0"  |

### INTERNAL DIMENSIONS

|               |           |          |
|---------------|-----------|----------|
| <b>Length</b> | 12,032 mm | 39' 5.7" |
| <b>Width</b>  | 2,352 mm  | 7' 8.6"  |
| <b>Height</b> | 2,698 mm  | 8' 10.2" |

### DOOR OPENING

|               |          |         |
|---------------|----------|---------|
| <b>Width</b>  | 2,343 mm | 7' 8.2" |
| <b>Height</b> | 2,585 mm | 8' 5.7" |

### CAPACITY & WEIGHTS

|                              |                     |                        |
|------------------------------|---------------------|------------------------|
| <b>Inside Cubic Capacity</b> | 76.4 m <sup>3</sup> | 2698.0 ft <sup>3</sup> |
| <b>Max Gross</b>             | 30,480 kg           | 67,200 lbs             |
| <b>Payload</b>               | 26,930 kg           | 59,370 lbs             |
| <b>Tare</b>                  | 3,550 kg            | 7,830 lbs              |

**NOTE:** The dimensions and door openings of all containers correspond to ISO standards. However, due to production tolerances, a difference in measurement is possible.

**DISCLAIMER:** Every effort is made to ensure this information is accurate, however Triton does not assume any liability for the accuracy of the information and content provided in marketing or information materials, or for the consequences resulting from using the information and content provided. Triton does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the United States and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton® and TAL®.



## CLASSIFICATION

### For Sale: Used

Available via Triton's global network of supply locations.

# 40ft Used High Cube Dry Container



## FEATURES

- Available in a range of conditions to suit all needs, from cargo transportation to secure domestic storage
- Additional height provides extra internal cubic capacity, which means greater interior stacking capacity for your goods
- Generally 11-15 years old when retired from service
- Constructed from rugged corten steel
- Durable and secure, with vents to allow airflow
- Resistant to damage and corrosion
- Superior paint systems
- A variety of options available
- Incredibly versatile and suitable for customers to modify into a wide range of applications
- Available globally
- Backed up by Triton's global network of supply locations and dedicated sales and support teams
- Also available for Direct Delivery to buyer's facilities, providing significant cost savings on transport



CONTAINER ROOF



CONTAINER FRONT

CONTAINER SIDE

CONTAINER REAR

## DIMENSIONS (METRIC/IMPERIAL)

### EXTERNAL DIMENSIONS

|               |           |          |
|---------------|-----------|----------|
| <b>Length</b> | 12,192 mm | 40' 0.0" |
| <b>Width</b>  | 2,438 mm  | 8' 0.0"  |
| <b>Height</b> | 2,896 mm  | 9' 6.0"  |

### INTERNAL DIMENSIONS

|               |           |          |
|---------------|-----------|----------|
| <b>Length</b> | 12,032 mm | 39' 5.7" |
| <b>Width</b>  | 2,352 mm  | 7' 8.6"  |
| <b>Height</b> | 2,698 mm  | 8' 10.2" |

### DOOR OPENING

|               |          |         |
|---------------|----------|---------|
| <b>Width</b>  | 2,340 mm | 7' 8.1" |
| <b>Height</b> | 2,585 mm | 8' 5.8" |

### CAPACITY & WEIGHTS

|                              |                     |                       |
|------------------------------|---------------------|-----------------------|
| <b>Inside Cubic Capacity</b> | 76.4 m <sup>3</sup> | 2,700 ft <sup>3</sup> |
| <b>Max Gross</b>             | 30,480–32,500 kg    | 67,200–71,650 lbs     |
| <b>Payload</b>               | 26,250–28,900 kg    | 57,874–63,710 lbs     |
| <b>Tare</b>                  | 3,600–4,230 kg      | 7,940–9,326 lbs       |

**NOTE:** The dimensions and door openings of all containers correspond to ISO standards. However, due to production tolerances, a difference in measurement is possible.

**DISCLAIMER:** Every effort is made to ensure this information is accurate, however Triton does not assume any liability for the accuracy of the information and content provided in marketing or information materials, or for the consequences resulting from using the information and content provided. Triton does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the United States and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton® and TAL®.



## CLASSIFICATION

### For Sale: New


Available via Triton's global network of supply locations.

# 20ft Refrigerated Container




## FEATURES

- Designed for safe transportation of perishable food, beverages and temperature sensitive cargo
- Ideal for on-site temperature controlled storage
- Strong, robust, insulated and repair friendly
- Resistant to bacteria
- Low heat leakage values
- Low GWP refrigerants compatible
- State-of-the-art design and low power consumption makes units highly efficient
- With HGSS roof end panels, vacuum valve, T-bar flooring and interior aluminum scuff lining
- Provisioned for track & trace feature
- Triton's industry leading new production testing and inspection criteria ensures the highest quality container
- Can be ordered with Carrier or Thermo King machinery, with 3 Phase Power and CFC friendly refrigerant
- Backed up by Triton's global network of supply locations and dedicated sales and support teams
- Available globally



REEFER ROOF



REEFER FRONT

REEFER SIDE

REEFER REAR

## DIMENSIONS (METRIC/IMPERIAL)

### EXTERNAL DIMENSIONS

|               |          |           |
|---------------|----------|-----------|
| <b>Length</b> | 6,058 mm | 19' 10.5" |
| <b>Width</b>  | 2,438 mm | 8' 0.0"   |
| <b>Height</b> | 2,591 mm | 8' 6.0"   |

### INTERNAL DIMENSIONS

|               |          |           |
|---------------|----------|-----------|
| <b>Length</b> | 5,454 mm | 17' 10.7" |
| <b>Width</b>  | 2,290 mm | 7' 6.2"   |
| <b>Height</b> | 2,276 mm | 7' 5.6"   |

### DOOR OPENING

|               |          |         |
|---------------|----------|---------|
| <b>Width</b>  | 2,294 mm | 7' 6.3" |
| <b>Height</b> | 2,264 mm | 7' 5.1" |

### CAPACITY & WEIGHTS

|                              |                     |                      |
|------------------------------|---------------------|----------------------|
| <b>Inside Cubic Capacity</b> | 28.4 m <sup>3</sup> | 1003 ft <sup>3</sup> |
| <b>Max Gross</b>             | 30,480 kg           | 67,200 lbs           |
| <b>Payload</b>               | 27,650 kg           | 60,960 lbs           |
| <b>Tare*</b>                 | 2,830 kg            | 6,240 lbs            |

\*Tare can vary slightly based on reefer machine type.

**NOTE:** The dimensions and door openings of all containers correspond to ISO standards. However, due to production tolerances, a difference in measurement is possible.

**DISCLAIMER:** Every effort is made to ensure this information is accurate, however Triton does not assume any liability for the accuracy of the information and content provided in marketing or information materials, or for the consequences resulting from using the information and content provided. Triton does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the United States and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton® and TAL®.





## CLASSIFICATION

### For Sale: Used


Available via Triton's global network of supply locations.

# 40ft Used High Cube Refrigerated Container




## FEATURES

- Additional height provides extra internal cubic capacity, which means greater interior stacking capacity for your goods
- Designed for safe transportation of perishable food, beverage and temperature sensitive cargo
- Ideal for on-site temperature controlled storage
- Strong, robust, insulated and repair friendly
- State-of-the-art design and low power consumption makes units highly efficient
- Provisioned for track & trace feature
- With HGSS roof end panels, vacuum valve, T-bar flooring and interior aluminum scuff lining
- Resistant to bacteria
- Low heat leakage values
- Low GWP refrigerants compatible
- Can be ordered with Carrier or Thermo King machinery, with 3 Phase Power and CFC friendly refrigerant. Both leading brands offer worldwide availability for parts and service
- Backed up by Triton's global network of supply locations and dedicated sales and support teams
- Available globally



REEFER ROOF



REEFER FRONT

REEFER SIDE

REEFER REAR

## DIMENSIONS (METRIC/IMPERIAL)

### EXTERNAL DIMENSIONS

|               |           |          |
|---------------|-----------|----------|
| <b>Length</b> | 12,192 mm | 40' 0.0" |
| <b>Width</b>  | 2,438 mm  | 8' 0.0"  |
| <b>Height</b> | 2,896 mm  | 9' 6.0"  |

### INTERNAL DIMENSIONS

|               |            |          |
|---------------|------------|----------|
| <b>Length</b> | 11,588 mm  | 38' 0.2" |
| <b>Width</b>  | 2,290 mm   | 7' 6.2"  |
| <b>Height</b> | 2,547.5 mm | 8' 4.3"  |

### DOOR OPENING

|               |          |         |
|---------------|----------|---------|
| <b>Width</b>  | 2,294 mm | 7' 6.3" |
| <b>Height</b> | 2,569 mm | 8' 5.1" |

### CAPACITY & WEIGHTS

|                              |                     |                       |
|------------------------------|---------------------|-----------------------|
| <b>Inside Cubic Capacity</b> | 67.6 m <sup>3</sup> | 2,387 ft <sup>3</sup> |
| <b>Max Gross</b>             | 35,000 kg           | 77,160 lbs            |
| <b>Payload</b>               | 30,440 kg           | 67,110 lbs            |
| <b>Tare*</b>                 | 4,560 kg            | 10,050 lbs            |

\*Tare can vary slightly based on reefer machine type.

**NOTE:** The dimensions and door openings of all containers correspond to ISO standards. However, due to production tolerances, a difference in measurement is possible.

**DISCLAIMER:** Every effort is made to ensure this information is accurate, however Triton does not assume any liability for the accuracy of the information and content provided in marketing or information materials, or for the consequences resulting from using the information and content provided. Triton does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the United States and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton® and TAL®.

HERE. THERE. EVERYWHERE

# We supply the world

Triton is the largest lessor of intermodal containers in the world with over 7 million TEU of containers. Our services are available in 89 countries around the globe. So, no matter where you need containers, we'll have them nearby. To find your nearest Triton Container Sales manager visit [www.tritoncontainer.com](http://www.tritoncontainer.com).



**Global inventory of  
cargoworthy containers  
for lease and sale.**



**Unrivalled container  
supply at competitive  
prices.**



**Outstanding and  
highly responsive  
customer services.**



**Global network of 20 offices  
and 3 independent agencies  
across 16 countries.**



**Equipment  
built to the  
highest quality.**



**Our size, strength and reliability  
make us the go-to supplier of  
intermodal shipping containers.**



**TRITON**

We're the biggest for a reason, contact our friendly experts and experience Triton's world-leading service and cost savings today. Imagine what we can do together.

[www.tritoncontainer.com](http://www.tritoncontainer.com)