




TRITON

OUR SECTORS

Bulk liquid storage

The chemical and food industry rely on Triton ISO Tanks to ship and store cargo safely and economically.



OUR SECTORS – BULK LIQUID STORAGE

Safely transport and store liquid cargo

ISO Tank Containers have long been widely regarded as one of the safest and most sustainable modes of transporting bulk liquid cargo.

Green credentials

Compared to other modes of liquid transport such as non-reusable drums or flexibags, the Triton ISO Tank Container's green credentials are undeniable.

Triton ISO Tank Containers

Tank Containers are used by our customers to safely ship liquid products from door to door and as a means of reliable storage. The flexibility of Tank Containers has risen to the forefront in recent times, with an increased number of companies choosing to shift their supply chain models from "just in time", to "just in case". The Triton ISO Tank is perfectly suited for this operation. Also, it provides a safe, sustainable, cost-efficient storage solution until the product is delivered to the end-user.

These products are available globally for lease and sale with four different capacities, including 21000 liters, 25,000 liters, 26,000 liters, and 35,000 liters.

20-year lifespan

Triton ISO Tank Containers are built to exceptional standards using high-quality materials which comply with the strict regulations that govern their use. They are a tried and tested reusable product with an incredible 20-year lifespan.

PLEASE NOTE: The following pages showcase a small sample of products in the Triton global inventory. We stock a wide range of products for lease and sale in various conditions. Get in touch with your local Triton representative for more information.



ISO Fluid Tank Container



CLASSIFICATION



Lease

Available via Triton's global network of supply locations.



FEATURES

- UN portable tank: Type T11 and T14 available
- Capacities ranging from 21000l to 35000l
- Approved for ADR/RID/IMDG transportation
- Suitable for the carriage of most bulk liquids
- General specs include a high quality stainless steel tank barrel
- Full frame type design with B-style walkway
- Internationally recognized fittings
- Insulation with steam heating capability
- Rigorous quality control of our 3rd party production facilities
- Backed up by Triton's global network of supply locations and dedicated leasing and support teams
- Available globally
- Flexible lease terms to meet your company needs



TANK TOP



TANK FRONT

TANK SIDE

TANK REAR

DIMENSIONS (METRIC/IMPERIAL)

FRAME DIMENSIONS (20' Equivalent)

Length	6,058 mm	19' 10.5"
Width	2,438 mm	8' 0.0"
Height	2,591 mm	8' 6.0"

WEIGHT, PRESSURE & TEMPERATURE

Maximum Gross Weight	36,000 kg
Tare Weight	3,710 kg
Payload	32,290 kg
Maximum Allowable Working Pressure	4.00 bar
Design Temperature (frame & tank)	-40°C to +130°C

OPTIONS

AVAILABLE ISO TANKS T11 TYPES

20ft	21,000 litre
20ft	25,000 litre
20ft	26,000 litre

AVAILABLE NON-ISO T11 TYPES

7.82m Swap Body	35,000 litre
-----------------	--------------

NOTE: The dimensions and door openings of all containers correspond to ISO standards. However, due to production tolerances, a difference in measurement is possible.

DISCLAIMER: Every effort is made to ensure this information is accurate, however Triton does not assume any liability for the accuracy of the information and content provided in marketing or information materials, or for the consequences resulting from using the information and content provided. Triton does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the United States and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton® and TAL®.



CLASSIFICATION

For Sale: Used


Available via Triton's global network of supply locations.

Used ISO Fluid Tank Container



FEATURES

- UN Portable Tank: Type T11 and T14
- Capacities ranging from 21000l to 35000l
- Approved for ADR/RID/IMDG transportation
- Suitable for the carriage of most bulk liquids
- General specs include a high quality stainless steel tank barrel
- Full frame type design with B-style walkway
- Internationally recognized fittings
- Insulation with steam heating capability
- Rigorous quality control of our 3rd party production facilities
- Backed up by Triton's global network of supply locations and dedicated sales and support teams
- Available globally in all hub locations



TANK TOP



TANK FRONT

TANK SIDE

TANK REAR

DIMENSIONS (METRIC/IMPERIAL)

FRAME DIMENSIONS (20' Equivalent)

Length	6,058 mm	19' 10.5"
Width	2,438 mm	8' 0.0"
Height	2,591 mm	8' 6.0"

WEIGHT, PRESSURE & TEMPERATURE

Maximum Gross Weight	36,000 kg
Tare Weight	3,500–3,910 kg
Payload	32,090–32,500 kg
Maximum Allowable Working Pressure	4.00 bar
Design Temperature (frame & tank)	-40°C to +130°C

OPTIONS

AVAILABLE ISO TANKS T11 TYPES

20ft	21,000 litre
20ft	25,000 litre
20ft	26,000 litre

AVAILABLE NON-ISO T11 TYPES

7.82m Swap Body	35,000 litre
-----------------	--------------

NOTE: The dimensions and door openings of all containers correspond to ISO standards. However, due to production tolerances, a difference in measurement is possible.

DISCLAIMER: Every effort is made to ensure this information is accurate, however Triton does not assume any liability for the accuracy of the information and content provided in marketing or information materials, or for the consequences resulting from using the information and content provided. Triton does not guarantee or claim that said information and content is exhaustive. Claims as to the exhaustive nature of said information and content are excluded. The information and content is only provided for advertising purposes and is non-binding. No explicit or implied warranties or guarantees are made. The container displayed only represents a sample of the entire fleet.

The following items are registered or unregistered service marks in the United States and/or foreign jurisdictions pursuant to applicable intellectual property law and are the property of Triton International Limited and its subsidiaries: Triton® and TAL®.

HERE. THERE. EVERYWHERE

We supply the world

Triton is the largest lessor of intermodal containers in the world with over 7 million TEU of containers. Our services are available in 89 countries around the globe. So, no matter where you need containers, we'll have them nearby. To find your nearest Triton Container Sales manager visit www.tritoncontainer.com.



**Global inventory of
cargoworthy containers
for lease and sale.**



**Unrivalled container
supply at competitive
prices.**



**Outstanding and
highly responsive
customer services.**



**Global network of 20 offices
and 3 independent agencies
across 16 countries.**



**Equipment
built to the
highest quality.**



**Our size, strength and reliability
make us the go-to supplier of
intermodal shipping containers.**



TRITON

We're the biggest for a reason, contact our friendly experts and experience Triton's world-leading service and cost savings today. Imagine what we can do together.

www.tritoncontainer.com